

30 things you need to know about the vaccines (Maui version)

Steve Kirsch
Executive Director
COVID-19 Early Treatment Fund
stk@treatearly.org

Oct 18, 2021

All of these
were and are
completely
UNNECESSARY

Vaccines

Boosters

Lock-downs

Business closures / slowdowns

Loss of income

Economic destruction

Social distancing

Mask wearing / kids sick from masks

Weekly testing of unvaccinated

Testing of non-symptomatic people

Vaccine mandates

Must be vaccinated to dine indoors

The “unexpected” deaths (cardiac arrest)

The disabilities

The FEAR

VACCINES

kill > save

for all age ranges

NOBODY

should get vaccinated

EARLY TREATMENTS

Safer, more effective, ...

NO conflict of interest

Everyone is losing money, friends, and having their reputations attacked all so we can get the truth out and save lives.

Everything in this presentation

Is backed by primary data or papers in peer reviewed medical journals...

... that you can verify for yourself

FDA and CDC were invited to challenge us on our analysis of the public data

They could end misinformation
with one debate!

They refused to answer.

Even Senator
Rosalyn Baker
refused to
debate us



because she
doesn't want you
to know that
what she says is
WRONG



SURVEY

Raise your hand
if you'd like her
to debate us



Nobody wants to debate any of
us

Can you imagine that?!?

Here's why



“They” accuse us of being
misinformation spreaders

But that's not true

If they **really** want to stop
misinformation (like they claim),
it's **really easy!**

All they have to do is...

STOP
talking



All of this was for NOTHING

COVID is a lot less dangerous than the flu if it is treated early with existing drugs.

Almost no one had to be hospitalized or die if the CDC or NIH had told people about proven early treatments.

Instead, **they told people to do nothing...**

... because they (incorrectly) believed that the vaccine was the best way to end the pandemic.

So they deliberately suppressed all other options.

We've known successful treatment protocols **since March 2020**

[Dr. George Fareed and Dr. Brian Tyson share early treatment protocol](#)

In India, they showed that if you do a **nasal rinse every night**, nobody gets COVID.

Doctors at Pune's Deenanath Hospital claim traditional jalneti is helping them steer clear of COVID-19

By Prachee Kulkarni / Updated: Jul 2, 2020, 17:16 IST

f FACEBOOK

tw TWITTER

in LINKEDIN

envelope EMAIL



If you treat early with a combinations of drugs like Ivermectin, fluvoxamine, inhaled budesonide, HCQ, ...

You can avoid hospitalization and death by 99.76%

(for all variants with no safety issues)

Just taking **aspirin** after getting sick reduces your chance of being hospitalized by over 40%



NEWSLETTER

MEDICALNEWS TODAY



After these adjustments, aspirin use was associated with a **43%** reduced risk of intensive care unit admission, a **44%** reduced risk of mechanical ventilation, and a **47%** reduced risk of dying in the hospital.

But they don't
want you to know
any of that

Because they
need you to
believe that mass
vaccination is the
ONLY way out.



They are lying to you

All of these
were and are
completely
UNNECESSARY

Vaccines

Boosters

Lock-downs

Business closures / slowdowns

Loss of income

Economic destruction

Social distancing

Mask wearing / kids sick from masks

Weekly testing of unvaccinated

Testing of non-symptomatic people

Vaccine mandates

Must be vaccinated to dine indoors

The “unexpected” deaths (cardiac arrest)

The disabilities

The FEAR

Courtesy of

FDA, CDC, NIH
Congress
State governors
Mainstream media
Medical community

State Senator
Rosalyn Baker



and



Mayor Michael Victorino

They are trying to silence **the only public official in Maui who is speaking the truth**

Tributes HI NOW Jobs Join Our Team Check Out 'n' Take Out Advertise with Us

HAWAII
NEWS NOW

Live News COVID-19 Weather Sunrise Sports Podcasts HI Now ETC About Us

ADVERTISEMENT

 Rosenberg McKay Hoffman
Attorneys at Law
A Personal Injury Law Firm
Call us. Let us help you.
Call for No-Cost Consultation
808-536-4270
LEARN MORE

DOH condemns Maui group tied to top state health official for spreading COVID misinformation



Maui District Health Officer Lorrin Pang. (Clip)
By HNN Staff
Published: Aug. 25, 2021 at 10:39 PM HST | Updated: Aug. 26, 2021 at 12:13 PM HST

Dr. Lorrin Pang

The COVID vaccine campaign is
the **biggest medical mistake** in
history

“Nobody has died from the
COVID vaccines”

-- CDC

They are **lying** to you

Nobody believes them



I offered \$1M to
anyone who would
bet me on this.

No takers

The elephant in the room

Vaccines kill more people than they save



Killed: 150K
Saved: 10K

Age	Killed	Saved	K:S
20-30	67	11	6.1:1
30-40	121	31	3.9:1
40-50	210	76	2.8:1
50-60	436	185	2.4:1
60-70	1031	450	2.3:1
70-80	2140	1133	1.9:1
80+	6276	3458	1.8:1

**The vaccines kill more than
they save...
regardless of age**

In Taiwan, there are also more deaths from the vaccine than from COVID

Top Latest People Photos Videos

 **Robert W Malone, MD** @RWMaloneMD · 1h

"Taiwan death from COVID-19 vaccination exceeds death from COVID-19"
Vac deaths in **Taiwan**: 852
Deaths with COVID-19: 844
Prediction: Vaccinating low death rate countries (such as much of Africa) will elicit more deaths from the jab than from disease



medicaltrend.org
Taiwan death from COVID-19 vaccination exceeds death from COVID-19
Taiwan death from COVID-19 vaccination exceeds death from COVID-19. As of the 7th, the death toll after vaccination in Taiwan reached ...

159 3.9K 5.7K



Anabel V. @Anabel_Villeroy · 27m



Replying to [@stkirsch](#)

The CDC is conveniently trying to hide vaccine-induced mortality data. Taiwan is not.



Anabel V. @Anabel_Villeroy · 49m

More die after  in Taiwan than from C19 itself.

Looks like Taiwan is recording vaccine deaths properly – unlike the US where you are not considered vaccinated until 14 days post-inoculation.


A convenient way for the CDC to hide vaccine-induced mortality data.



**UK data shows VE =
-109% for 40 year olds**

**In other words, if you are
40 and you get vaccinated,
you are >2X more likely to
be infected than an
unvaccinated person.**

**Infection Rate in Vaccinated People in Their 40s
Now More Than DOUBLE the Rate in Unvaccinated,
PHE Data Shows, as Vaccine Effectiveness Hits
Minus-109%**



In the latest [Vaccine Surveillance report](#) from [Public Health England](#) (PHE) the infection rate in double-vaccinated people in their 40s went above 100% higher than in the unvaccinated for the first time, reaching 109%. This translates to an unadjusted vaccine effectiveness of minus-109%.

What does that mean?

NOBODY

should get vaccinated

EVERYONE

should start early treatment
as soon as they suspect
they are infected


**FACT:
Masks don't
work for
COVID**

CDC: "Masks don't work for wildfire
smoke"

**Virus is 25X smaller than
wildfire smoke**

We are killing our kids

CDC 12-17 year old study: 14 deaths



The screenshot shows the top portion of a CDC MMWR article. At the top left is the CDC logo and the text 'Centers for Disease Control and Prevention'. To the right is a search bar with a magnifying glass icon and the text 'Search', and a link for 'Advanced Search'. Below this is a blue header bar with the text 'Morbidity and Mortality Weekly Report (MMWR)'. The main title of the article is 'COVID-19 Vaccine Safety in Adolescents Aged 12-17 Years — United States, December 14, 2020–July 16, 2021'. Below the title, it says 'Weekly / August 6, 2021 / 70(31);1053-1058'. A note states 'On July 30, 2021, this report was posted online as an MMWR Early Release.' The authors listed are Anne M. Hause, PhD¹; Julianne Gee, MPH¹; James Baggs, PhD¹; Winston E. Abara, MD¹; Paige Marquez, MSPH¹; Deborah Thompson, MD²; John R. Su, MD, PhD¹; Charles Licata, PhD¹; Hannah G. Rosenblum, MD^{1,3}; Tanya R. Myers, PhD¹; Tom T. Shimabukuro, MD¹; David K. Shay, MD¹. There is a link for '(View author affiliations)'. At the bottom of the screenshot is a link for 'View suggested citation'.

Not natural causes. Not “background deaths.”

CDC reviewed 14 reports of death after vaccination. Among the decedents, four were aged 12–15 years and 10 were aged 16–17 years. All death reports were reviewed by CDC physicians; impressions regarding cause of death were **pulmonary embolism (two), suicide (two), intracranial hemorrhage (two)**, heart failure (one), hemophagocytic lymphohistiocytosis and disseminated *Mycobacterium chelonae* infection (one), and unknown or pending further records (six).

For a detailed analysis of each death, see [page 56-64](#). While suicide could be considered unrelated, why would any sane person (and all the kids who died were sane) want to vaccinate themselves just before killing themselves? In talking to other vaccine victims, we quickly learn that the reason that so many people commit suicide after getting the vaccine is to end the physical pain caused by the vaccines. All deaths were consistent with the hypothesis of vaccine caused events.

**# kids killed by vax >
kids killed by COVID**

**COVID vaccines have killed
over 574 kids (12-17) to date**

Sources: CDC found 14 deaths from VAERS.
14*41=574. But [361 deaths from COVID in 17
and under](#). See page 57 of [Why are so many
Americans refusing to be vaccinated](#).



What do you say
to the parents?



Ernest Ramirez
@rgvranner01

My good byes to my Baby
Boy ❤️❤️❤️

7:44 PM · Sep 13, 2021 · Twitter for iPhone

3,509 Retweets 991 Quote Tweets

13.1K Likes



Tweet your reply

Reply



Miestro47 @miestro47 · 15h

Replying to @rgvranner01

I'm so sorry for your loss. I'm heartbroken for you and the fact that the media doesn't want to highlight your story from obvious reasons. Your son is with the Lord now. May God be with you and your family during this painful time ❤️



25 431



Myron T. Moore @myr... · 9h

Replying to @rgvranner01

This picture should send a strong message to the world. This is the end result for many from the experimental Jab. Mr. Ramirez has been trying to warn others. He is being censored like the rest of us. My guess, Mr. Ramirez has committed to warn others about the dangers of the Jab

18 375 1.4K



susan @susan82130766 · 6h

I'm am so sorry for your loss. Everyone is behind you spirit. Your

2.4K

4.5K

13.1K



Kids don't just die in the middle of a zoom call

20 minutes earlier they checked on him and he was fine

VAERS ID: 1466009 ●

ONSET: 27 days AGE: 16 SEX: M

My son died, while taking his math class on Zoom. We are waiting for the autopsy because the doctors did not find anything. He was a healthy boy, he had a good academic index, he wanted to be a civil engineer. He was the best thing in my life.

[READ FULL REPORT >](#)

VACCINE TYPE(S): COVID19

VACCINE NAME(S): COVID19 (COVID19 (PFIZER-BIONTECH))

SYMPTOM(S): AUTOPSY, DEATH

Deaths like this
never happened
before the jabs
rolled out.

I wonder why
they are
happening now?



[livesitenews.com](https://www.livesitenews.com)

Healthy 16-year-old boy dies during online class
after second Pfizer jab: VAERS database - ...

15 year-olds
never die in their
sleep

Yet this happened 2 days
after getting vaccinated.

VAERS ID: 1382906

Sonoma County Sheriff's Office
Mark Essick, Sheriff-Coroner
Coroner Investigations Unit
3336 Chanate Road, Santa Rosa, CA 95404
(707) 565-5070



DEATH INVESTIGATION SYNOPSIS REPORT			CORONER CASE # 21-0000670
INCIDENT INFORMATION			
LAW ENFORCEMENT AGENCY WITH JURISDICTION: Santa Rosa Police Department		REPRESENTATIVE TITLE AND NAME: Officer Jose Andrade #568	AGENCY CR # <input type="checkbox"/> N/A 21-0006115
MANNER OF DEATH: Undetermined	DATE/TIME RECEIVED: 06/07/2021 14:35		
DECEDENT INFORMATION			
DECEDENT'S NAME (FIRST, MIDDLE, LAST): [REDACTED]		AGE: 15 yrs	
DEATH INFORMATION			
[PLACE OF DEATH] (Facility Name or Address Location): [REDACTED]		DATE OF DEATH: 06/07/2021 [Found]	TIME OF DEATH: 14:04 [Found]
SYNOPSIS			

The decedent was found unresponsive in his bedroom after his mother was checking on his welfare long after he was supposed to wake in the morning. The decedent was pronounced dead at the scene due to obvious death. The decedent had been in good health with no medical history and had received his second Pfizer COVID-19 Vaccination approximately two days before his death.

The decedent's body was transported to the Sonoma County Morgue Facility, where he was registered for a postmortem examination by a forensic pathologist.

After extensive research, additional testing, and collaboration with numerous other entities, the cause of death was determined to be: **"STRESS CARDIOMYOPATHY WITH PERIVASCULAR CORONARY ARTERY INFLAMMATION (hours to days), due to, UNKNOWN ETIOLOGY IN SETTING OF RECENT PFIZER-BIONTECH COVID-19 VACCINATION (days)."** There were no other significant conditions contributing to the death listed.

Since the etiology of the stress cardiomyopathy with perivascular coronary artery inflammation was unknown but was in the setting of a recent Pfizer-Biontech Covid-19 vaccination, I mannered this death as **"UNDETERMINED,"** which was consistent with the circumstances and cause.

KIDS IN ONTARIO KILLED BY THE VACCINE

“Inexplicably taken away”

Sunday 6:14 AM



Local Teen, Queen's University Student Passed Away Suddenly After Med...
kawartha411.ca



Family wants U of G student's memory to live on through kindness
guelphtoday.com

Ontario is on a roll

Sunday 7:49 AM



'A brilliant kid on and off the ice and in every sport he played'

thepeterboroughexaminer.com

4 now

These coincidences should all go in your next slide deck



Tragedy for Gee-Gees: Defensive lineman Francis Perron dies after game...
Life is so fragile; sometimes it's inexplicably taken away — with no warning. Fifth-year Ottawa Gee-Gees defensive lineman Francis Perron died Saturday, shortly after his team's 11-10 loss to the University of Toronto Blue...
montrealgazette.com

University of Ottawa: vaccination compulsory; 1st shot at latest August 1 -
https://montrealgazette.com/sports/football/tragedy-for-gee-gees-defensive-lineman-francis-perron-dies-after-game-in-toronto/wcm/d651a2c4-c3d5-4454-ad60-099c36811f53?utm_term=Autofeed&utm_medium=Social&utm_source=Twitter#Echobox=1632096217

Sun 8:43pm

"inexplicably taken away" -


Sun 8:43pm

The obituary never mentions the vaccine so nobody will ever know


*Rod Abrams
Funeral Home Limited*
Cremation, Burial, and Reception C

For immediate assistance please call (905) 936-3477
We are here to help you whenever you need us, no matter the

Home About Us Obituaries Services Pre-Planning Help with Grief Resources FAQ's Referrals




Sean Hartman



Hartman, Sean Daniel
Suddenly at his home in Beeton on Monday September 27, 2021. Sean, in his 18th year, beloved son of Shane and Sonia Adams. Loving brother of Kayla (Stephen) Phillips, Sara Adams, Shaelyne Adams, Shaena Adams. Cherished by his Nanny and Poppy Pearl and John Bonia and Grandpa John Adams, Auntie Tracey Adams and Uncle Jack Klassen. Fondly remembered by his

Beeton/TNT hockey families.
The family will receive friends at Rod Abrams Funeral Home, 1666

Wednesday 7:37 AM



Sean Hartman: 17-Year-Old Boy Dies Shortly After Receiving The COVID-19 Vaccine

theCOVIDworld.com

All of these deaths are
“unexplained”

0

COVID child deaths in same period

Simone Scott
would like to
warn kids not to
get the vaccine.
But she's dead.

← Thread

📌 Pinned Tweet



THREAD

19-year-old Simone Scott was excited to get her second dose of @moderna_tx's #Covid vaccine on May 1.

Now her mother Valerie Kraimer is arranging her funeral.



5:02 AM · Jun 14, 2021 · Twitter for iPhone

3,390 Retweets 785 Quote Tweets 4,565 Likes



Tweet your reply

Reply

AT&T LTE

7:53 AM

77%

dailynorthwestern.com



Photo courtesy of Simone Scott's Instagram

Jacob Fulton and Yunkyo Kim
June 12, 2021

Medill freshman Simone Scott died Friday morning following a heart transplant, Vice President for Student Affairs Julie Payne-Kirchmeier announced Saturday in a message to the community.

Scott came to Northwestern from Mason

Mother is forced to get vaccinated → child is severely damaged.

The mother had to have a C-section. The hospital said, “We won’t do it if you haven’t been vaccinated.” The mom had no choice.

Now her baby is likely permanently neurologically damaged.

Please watch this video. The same symptoms are common in vaccine victims. For a newborn baby to have these symptoms is unprecedented.

Click the image to watch the video. (twitter removed it)

More [vaccine injury stories](#).

← Thread

 kristingreenwood
@krisgimages

Newborn vaccine damage. The mum was pressured into having it. Clearly an unthinkable crime 🚫👶
#pfizer #covidvaccination #comirnaty #vaccinated 🙄
#baby #usforthem #NHS #LeaveOurKidsAlone
#chriswhitty



293 views 0:03 / 0:42

10:14 AM · Sep 13, 2021 · Twitter for Android

When will the politicians recognize that the vaccines are killing our kids?

15-year-old Boy who had the Pfizer Covid-19 Vaccine collapses and dies whilst playing football four days later

BY DAILY EXPOSE ON OCTOBER 10, 2021 • (LEAVE A COMMENT)



Listen Now

A 15-year-old boy collapsed and died whilst playing football four days after he had been given a second dose of the Pfizer mRNA Covid-19 injection.

The boy sadly lost his life on the 22nd July 2021 according to a Vaccine Adverse Event Reporting System report submitted on the 23rd July. The report, which can be found [here](#) under VAERS ID: 1498080, states that the child “collapsed on [a] soccer field while playing soccer at a local camp”.

Early treatment



Steve Kirsch
@stkirsch

HUGE: Uttar Pradesh, India Announces State Is COVID-19 Free Proving the Effectiveness of "Deworming Drug" IVERMECTIN



HUGE: Uttar Pradesh, India Announces State Is COVID-19 Free Proving the Eff...
The Gateway Pundit previously reported that COVID cases are plummeting in India thanks to new rules that promote Ivermectin and hydroxychloroquine to it...
thegatewaypundit.com


9:08 AM · Sep 17, 2021 · Twitter for iPhone

280 Retweets 24 Quote Tweets 734 Likes

Uttar Pradesh is now COVID-free

They used [early treatments](#).

Vaccination rates there are miniscule ([now 11%](#)).



Horowitz: Heavily vaccinated state accounts for 65% of India's COVID cases after rejecting ivermectin

DANIEL HOROWITZ | September 17, 2021




Kerala by contrast...

The Indian state of Kerala has 3% of India's population, and 67% of its inhabitants have at least one vaccination. One would expect Kerala's COVID cases to be so low as to be invisible in a chart of India's very low overall cases. Yet this state of just 33 million people accounted for 65% of all of India's cases on Thursday, and even more in recent weeks. It has essentially been the only state experiencing a surge in recent months. It also happens to be the Indian state that has rejected ivermectin.

Source: [Horowitz: Heavily vaccinated state accounts for 65% of India's COVID cases after rejecting ivermectin](#)

Vaccines are **the worst** way to solve this problem (152X worse)

Steve Kirsch  @stkirsch
4d · 🌐 · Edited

The US medical leadership sucks. Look at US and UK vs. India. Is anyone paying attention? Vaccines are a terrible solution.

Now Yesterday 2 Days Ago Columns ▾ Search:

All Europe North America Asia South America Africa Oceania

#	Country, Other	Active Cases/1M pop
	World	
1	USA	29,551
2	India	194
3	Brazil	1,983
4	UK	19,710
5	Russia	4,391
6	Turkey	5,642
7	France	1,807

Early treatment benefits

No masking

No social distancing

No more lockdowns

No more mandates

Broader immunity

Herd immunity

Which drug would you take if you got COVID?

	Drug A	Drug B	Drug C
# Patients tested	6,000	385	377
Hospitalization	0.025%	7.3%	14.1%
Death	0%	0%	2.1%


You'd should take the one that our government says doesn't work

	Fareed + Tyson	Molnupiravir	Placebo
# Patients tested	6,000	385	377
Hospitalization	0.025%	7.3%	14.1%
Death	0%	0%	2.1%

Note: The Fareed and Tyson protocol has been available for 18 months but the FDA and CDC are not interested. The key drugs used in the protocol have been around for 40 years so have a proven safety record. By contrast, Molnupiravir has just 30 days of follow up.

The medical community claims early treatments don't work

Can you see a difference? [AVUC](#) used early treatment to get a [99.76% risk reduction](#); the rest of Imperial County didn't. The CDC isn't interested in exploring.



Early treatment benefits

1. Higher relative risk reduction for all variants (over 99%)
2. Simple prophylaxis protocols be used to prevent infection with up to 100% success without the use of any drugs whatsoever
3. Greater safety (minor temporary side effects, known safety profile)
4. They lower both all-cause mortality and all-cause morbidity
5. They work equally well on all variants
6. They do not promote escape variants
7. They do not cause vaccine enhanced infectivity/replication
8. They do not risk original antigenic sin (linked-epitope suppression)
9. They do not cause prion diseases
10. They prevent long-haul COVID syndrome nearly 100% of the time
11. They enable people to acquire recovered immunity which is up to 27X stronger and more durable than vaccine-induced immunity

WE CAN WIN THIS

California school board votes
by 3 to 1 margin to rescind
mandate.



SUMMARY

The vaccines kill more people than they save.

Nobody will debate us.

Early treatment can get us to zero COVID: Uttar Pradesh vs. Kerala. It is better on every metric.

Fareed-Tyson protocol is 99.76% effective.

The one thing every hospitalized COVID patient has in common: they didn't use a proven early treatment protocol.

Nobody in America likes to admit they were wrong.

We can start by demanding the school boards do not comply with the mandates on vaccination and mask wearing.

CONTACT


[Follow stkirsch on Gab](#) (they don't censor truth).

I have an [account on LinkedIn](#) (use InMail).

FOR MORE INFO

See the Vaccine article on skirsch.io

It has links to everything, including this presentation (“All you need to know”).




Vaccine

Vaccine resources

Links to important documents relating to vaccine safety and efficacy issues. Highly recommended.

[READ MORE](#)



APPENDIX


VAERS

Vaccine Adverse Event Reporting System


The 5 biggest lies about VAERS

1. The data is crap
2. Can't be used to determine causality
3. Is "over reported" this year (URF=1) so everything is just "normal"
4. The only safety signal is myocarditis
5. The vaccines are safe

“No safety signal here”



“All these bars are the same height”



VAERS shows

The vaccine is more likely to kill you
than save you

regardless of age

**So does the scientific
peer-reviewed medical
literature**

“In plain English, people in the 65+ demographic are **five times as likely to die** from the inoculation as from COVID-19 under the most favorable assumptions!”

(it's even worse if you are younger)

Source: [Why are we vaccinating children against COVID-19?](#), Kostoff



Toxicology Reports
Volume 8, 2021, Pages 1665-1684



Why are we vaccinating children against COVID-19?

Ronald N. Kostoff^{a,*,}, Daniela Calina^{b,}, Darja Kanduc^{c,}, Michael B. Briggs^{d,}, Panayiotis Vlachoyiannopoulos^{e,}, Andrey A. Svistunov^{f,}, Aristidis Tsatsakis^g

Show more ▾

+ Add to Mendeley Share Cite

<https://doi.org/10.1016/j.toxrep.2021.08.010> Get rights and content
Under a Creative Commons license [open access](#)

Highlights

- Bulk of COVID-19 per capita deaths occur in elderly with high comorbidities.
- Per capita COVID-19 deaths are negligible in children.
- Clinical trials for these inoculations were very short-term.
- Clinical trials did not address long-term effects most relevant to children.
- High post-inoculation deaths reported in VAERS (very short-term).

Thus, the ratio of E_{SAE} to O_{SAE} is 31 to 1, suggesting a URF of 31
 $(N_{SAE_Pfizer_trial} / N_{SAE_Pfizer_VAERS} = \sim 1.4M / 43,948)$.

Using this URF for all VAERS-classified SAEs, estimates to date are as follows: **205,809 dead**, 818,462 hospitalizations, 1,830,891 ER visits, 230,113 life-threatening events, **212,691 disabled** and 7,998 birth defects to date [38].

Since the URF for MAEs is very likely larger than for SAEs, it is satisfactory to assume that 31 is a humble estimate URF for all AEs (refer to Supplementary Table 2). ”

Source: [Critical Appraisal of VAERS Pharmacovigilance: Is the U.S. Vaccine Adverse Events Reporting System \(VAERS\) a Functioning Pharmacovigilance System?](#), Jessica Rose

Critical Appraisal of VAERS Pharmacovigilance: Is the U.S. Vaccine Adverse Events Reporting System (VAERS) a Functioning Pharmacovigilance System?

Jessica Rose, PhD, MSc, BSc
The Institute for Pure and Applied Knowledge

“Patterns of adverse events, or an unusually high number of adverse events reported after a particular vaccine, are called ‘signals.’ If a signal is identified through VAERS, scientist[s] may conduct further studies to find out if the signal represents an actual risk.”

CDC on Vaccine Safety

Abstract

Following the initiation of the global rollout and administration of the COVID-19 vaccines^{1,2} on December 17, 2020, in the United States, hundreds of thousands of individuals have reported Adverse Events (AEs) using the Vaccine Adverse Events Reports System (VAERS). To date, approximately 50% of the population of the United States have received 2 doses of the COVID-19 products with 427,831 AEs reported into VAERS as of August 7th, 2021.

Pharmacovigilance (PV) is the process of collecting, monitoring, and evaluating AEs for safety signals to reduce harm to the public in the context of pharmaceutical and biological agents. Many of the issues with VAERS are becoming well known – especially with regards to reporting and recording of data – in light of the extensive use of this system this year, challenging its functionality as a pharmacovigilance system.

This appraisal assesses three issues that respond to the question of VAERS pharmacovigilance by analyzing VAERS data: 1. Deleted reports, 2. delayed entry of reports and 3. recoding of Medical Dictionary for Regulatory Activities (MedDRA) terms from severe to mild. The most recently updated publicly available VAERS dataset was found to have N=1516 (0.4%) VAERS IDs removed (“missing”).

- 1 The Brand Name: Pfizer-BioNTech COVID-19 Vaccine, the Previous Name: BNT162b2 or the Company Name: Pfizer Inc. and BioNTech SE. can be used in the case of the Pfizer/BioNTech COVID-19 products. The Brand Name: mRNA-1273 and/or Company Name: Moderna, Inc. can be used in the case of the Moderna COVID-19 products.
- 2 mRNA biologicals are not true vaccines. True vaccines undergo time-dependent testing protocols to ensure safety and efficacy, typically enduring between 10 and 15 years. True vaccines are a preparation of a weakened or killed pathogen, such as a bacterium or virus, or of a portion of the pathogen’s structure that, upon administration to an individual, stimulates antibody production or cellular immunity against the pathogen but is incapable of causing severe infection. The mRNA biologicals do not satisfy either these requirements and as such are more akin to experimental treatments than vaccines.

“Results prove that **none of the vaccines provide a health benefit** and all pivotal trials show a statically significant increase in “all cause severe morbidity” in the vaccinated group compared to the placebo group.

Based on this data it is all but a certainty that mass COVID-19 immunization is hurting the health of the population in general.

Scientific principles dictate that the **mass immunization with COVID-19 vaccines must be halted immediately ...”**

Source: [US COVID-19 Vaccines Proven to Cause More Harm than Good...](#) by J. Bart Classen, MD

US COVID-19 Vaccines Proven to Cause More Harm than Good Based on Pivotal Clinical Trial Data Analyzed Using the Proper Scientific Endpoint, “All Cause Severe Morbidity”

J. Bart Classen, MD*

Classen Immunotherapies, Inc, 3637 Rockdale Road, Manchester, MD

*Correspondence:

J. Bart Classen, MD, Classen Immunotherapies, Inc, 3637 Rockdale Road, Manchester, MD 21102, Tel: 410-377-8526, E-mail: Classen@vaccines.net.

Received: 24 July 2021; Accepted: 25 August 2021

Citation: Classen B. US COVID-19 Vaccines Proven to Cause More Harm than Good Based on Pivotal Clinical Trial Data Analyzed Using the Proper Scientific Endpoint, “All Cause Severe Morbidity”. Trends Int Med. 2021; 1(1): 1-6.

ABSTRACT

Three COVID-19 vaccines in the US have been released for sale by the FDA under Emergency Use Authorization (EUA) based on a clinical trial design employing a surrogate primary endpoint for health, severe infections with COVID-19. This clinical trial design has been proven dangerously misleading. Many fields of medicine, oncology for example, have abandoned the use of disease specific endpoints for the primary endpoint of pivotal clinical trials (cancer deaths for example) and have adopted “all cause mortality or morbidity” as the proper scientific endpoint of a clinical trial. Pivotal clinical trial data from the 3 marketed COVID-19 vaccines was reanalyzed using “all cause severe morbidity”, a scientific measure of health, as the primary endpoint. “All cause severe morbidity” in the treatment group and control group was calculated by adding all severe events reported in the clinical trials. Severe events included both severe infections with COVID-19 and all other severe adverse events in the treatment arm and control arm respectively. This analysis gives reduction in severe COVID-19 infections the same weight as adverse events of equivalent severity. Results prove that none of the vaccines provide a health benefit and all pivotal trials show a statically significant increase in “all cause severe morbidity” in the vaccinated group compared to the placebo group. The Moderna immunized group suffered 3,042 more severe events than the control group ($p=0.00001$). The Pfizer data was grossly incomplete but data provided showed the vaccination group suffered 90 more severe events than the control group ($p=0.000014$), when only including “unsolicited” adverse events. The Janssen immunized group suffered 264 more severe events than the control group ($p=0.00001$). These findings contrast the manufacturers’ inappropriate surrogate endpoints: Janssen claims that their vaccine prevents 6 cases of severe COVID-19 requiring medical attention out of 19,630 immunized; Pfizer claims their vaccine prevents 8 cases of severe COVID-19 out of 21,720 immunized; Moderna claims its vaccine prevents 30 cases of severe COVID-19 out of 15,210 immunized. Based on this data it is all but a certainty that mass COVID-19 immunization is hurting the health of the population in general. Scientific principles dictate that the mass immunization with COVID-19 vaccines must be halted immediately because we face a looming vaccine induced public health catastrophe.

Keywords

Clinical trial, Vaccines, COVID-19.

Introduction

For decades, true scientists have warned that pivotal clinical trial designs for vaccines are dangerously flawed and outdated

[1]. Vaccines have been promoted and widely utilized under the false claim they have been shown to improve health. However, this claim is only a philosophical argument and not science based.

In a true scientific fashion to show a health benefit one would need to show fewer overall deaths during an extended period in the vaccinated group compared to a control group. Less stringent

The vaccines are a complete disaster

Won't protect you from being infected

Almost 2X more likely to be hospitalized

More likely to die if you get COVID

**How we know for sure that
the CDC is lying**

They've been gaming all the safety data

Hospitals instruct staff **not** to report to VAERS

90% of hospital admissions are vaccinated in a region where 50% are vaccinated

The same rise in serious adverse events is happening at other hospitals, but nobody is talking

Reference: [Whistleblower: FDA and CDC Ignore Damning Report that over 90% of a Hospital's Admissions were Vaccinated for Covid-19 and No One Was Reporting This to VAERS](#)

Dr. Peter Schirmacher

1. Chief pathologist at the University of Heidelberg
2. One of top 100 pathologists in the world
3. Member German National Academy of Sciences
4. h-index: 100 (38,730 citations)
5. Did autopsy on 40 people who died within 2 weeks of vaccine → “30% to 40% died from the vaccine”

→ **“Nobody has died from the vaccine” is a lie.**



Reference: [Chief pathologist insists on more autopsies of vaccinated people](#)

Schirmacher validated

“The fine tissue analyses were performed by pathologists Prof. Dr. Arne Burkhardt and Prof. Dr. Dr. Walter Lang. The findings confirm Prof. Dr. Peter Schirmacher's finding that among more than 40 corpses he autopsied who had died within two weeks of COVID19 vaccination, approximately one-third of those deaths were caused by the vaccination.”

In this study, 70% of deaths probable to very likely caused by vaccine.

Someone is lying to you and it isn't the Germans.

See

<https://twitter.com/DrJohnB2/status/1440083692857135111>

Original source

<https://www.pathologie-konferenz.de/>

<https://odysee.com/@de:d/Pressekonferenz--Tod-durch-Impfung-Und-eklarierte-Bestandteile-der-COVID-19-Impfstoffe:b>

[Deutsch](#) | [Italiano](#) | [Español](#)

PRESS CONFERENCE ON MONDAY, 9/20/2021
4PM IN THE LIVE STREAM

CAUSE OF DEATH AFTER COVID-19
VACCINATION

UNDECLARED COMPONENTS OF THE COVID-
19 VACCINES

20.09.2021 16:00 | [Contact](#)



Share on Facebook



Share on Twitter

On Monday, 9/20/2021 in the pathological institute in Reutlingen, the results of the autopsies of eight people who died after COVID19 vaccination will be presented. The fine tissue analyses were performed by pathologists Prof. Dr. Arne Burkhardt and Prof. Dr. Walter Lang. The findings confirm Prof. Dr. Peter Schirmacher's finding that among more than 40 corpses he autopsied who had died within two weeks of COVID19 vaccination, approximately one-third of those deaths were caused by the vaccination. Microscopic details of the tissue changes will be shown during the live-streamed press conference. Prof. Dr. Werner Bergholz will report on the current parameters of the statistical recording of vaccination events.

Norway also confirmed vaccine may cause deaths

1. 100 reported deaths in nursing home patients examined (87.7 avg age)
2. Using medical records alone:
 - a. 10 cases: probable
 - b. 26 cases: possible
 - c. 59 cases: unlikely
 - d. 5 cases: unclassifiable
3. The 36% possible number aligns with the 30% to 40% estimated by Schirmacher

THURSDAY 09 SEPTEMBER 2021


Tidsskriftet
DEN NORSKE LEGEFØRENING

ARTICLES SUBJECT AREAS EDITIONS AUTHOR GUIDE MEDICAL JOBS SEARCH Q

Deaths in nursing homes after covid-19 vaccine

ORIGINAL ARTICLE COVID-19 GERIATRICS / INFECTIOUS DISEASES / GENERAL MEDICINE / COMMUNITY MEDICINE ENGLISH

SUMMARY
Torgeir Bruun Wyller, Bård Reiakvam Kittang, Anette Høyen Ranhoff, Pernille Harg, Marius Myrstad *About the authors*

MAIN FINDINGS

ARTICLE

INTRODUCTION

MATERIAL AND METHOD

RESULTS

BACKGROUND
In the period 27.12.2020–15.2.2021, about 29,400 of Norway's approx. 35,000 nursing home patients vaccinated with the mRNA vaccine BNT162b2. During the same period, the Norwegian Medicines Agency received 100 reports of suspected fatal side effects from the vaccine. An expert group has examined the reports and assessed the degree of causal link between vaccination and deaths.

Published: May 19, 2021
Issue 10, June 29, 2021
Tidsskr Nor Legeforen 2021
doi: 10.4045 / tidsskr.21.0383

Received 6.5.2021, first revision submitted 13.5.2021, approved 14.5.2021.

Open access CC BY-ND

 PlumX Metrics

The big question is: How are Germany and Norway both able to determine causality in sample sizes of 100 or less, but the CDC can't determine causality in a single case of over 14,000 deaths it investigated!?

UK funeral director John O'Looney: Deaths skyrocketed 250% after vaccination started

If you are short on time, start watching at 15:00 for just two minutes. "The death rate was extraordinary. I've never seen anything like it in 15 years as a funeral director and neither has anyone I've spoken to. And it began as soon as they started putting needles in arms." Massive number of deaths of all ages and all locations started when they rolled out the vaccines. They were all covered up as "COVID deaths."

Death rate skyrocketed by 250% in elderly after vaccines rolled out.

3-5 bodies a week in a single nursing home in a week.

Death rates only went up after vaccinations started.

Note: we were able to confirm this in the US, but nobody wanted their name used publicly.




John O'Looney

**What the vaccines do to our
bodies is unprecedented**

How mRNA vaccines work

Problems

1. mRNA goes **everywhere**
2. Spike is toxic
3. Amount, distribution, duration of spike is person dependent (depends on degradation of dose too)
4. NHP studies never done
5. Pregnancy studies never done
6. Original antigenic sin
7. Vaccine enhanced infectivity/replication (ADE superset)



CDC says spike protein is “harmless”

A Closer Look at How COVID-19 mRNA Vaccines Work

COVID-19 mRNA vaccines give instructions for our cells to make a harmless piece of what is called the “spike protein.” The spike protein is found on the surface of the virus that causes COVID-19.

1. **First**, COVID-19 mRNA vaccines are given in the upper arm muscle. Once the instructions (mRNA) are inside the muscle cells, the cells use them to make the protein piece. After the protein piece is made, the cell breaks down the instructions and gets rid of them.
2. **Next**, the cell displays the protein piece on its surface. Our immune systems recognize that the protein doesn't belong there and begin building an immune response and making antibodies, like what happens in natural infection against COVID-19.



But the scientific literature says they are lying; they say they spike protein is cytotoxic

1. [Be aware of SARS-CoV-2 spike protein: There is more than meets the eye](#)
2. [Toxicological insights of Spike fragments SARS-CoV-2 by exposure environment: A threat to aquatic health?](#)
3. [SARS-CoV-2 Spike Protein Impairs Endothelial Function via Downregulation of ACE 2](#)
4. [Pay no attention to the spike proteins behind the curtain](#)
5. [Clearing up misinformation about the spike protein and COVID vaccines](#)

Adverse event table

This is a partial list of adverse events. Here is [a more complete list](#).

Nearly every event was elevated.

[Jessica Rose found over 10,000 event types](#).

No vaccine in history has this range of adverse events. It is unprecedented.

Note that the elevation of risk is often temporary, e.g., for cardiac arrest. This table only compares the number of events reported this year vs. previous years.

Example: Cardiac arrest was reported 71X more often than normal, but that risk is only elevated for an unknown amount of time.

For example, troponin levels only stay elevated (up to levels >10X that of heart attack levels) for a few months. D-dimer, troponin, and spike protein can be elevated for months after vaccination. This is not normal.

Dr. Peter McCullough would be delighted to talk to the press about actual patients, but the press isn't interested in reporting on this.

Symptom	X factor
Pulmonary embolism	473
Stroke	326
Deep vein thrombosis	264.3
Thrombosis	250.5
Fibrin D dimer increased	220.8
Appendicitis	145.5
Tinnitus	97.3
Cardiac arrest	71
Death	58.1
Parkinson's disease	55
Slow speech	54.3
Aphasia (inability to talk)	52.3

Full list: [Estimating the number of COVID vaccine deaths in America](#)

Minnesota Woman and Christian Missionary has Legs Amputated After Taking Pfizer Jab - May Also Lose Her Hands - GoFundMe Account Set up

By Jim Hoft

Published July 29, 2021 at 9:00am

1071 Comments



**Rasmussen poll
54% of the American
public think Fauci has
lost all credibility**

Only 36% disagreed.

**He's incompetent and
should be fired.**

POLITICS

CALLS FOR FAUCI'S HEAD GROW AS RENOWNED DOCTOR DEMANDS FAUCI 'STEP DOWN' [VIDEO]

"Something happened in late February where he just flipped on a dime. It wasn't the science changing."

BY JAMES SAMSON
OCTOBER 13, 2021



A renowned American doctor is calling on Dr. Anthony Fauci to "step down"

